



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/655,807	09/05/2003	Andreas Kolbe	7421 US	7113
30078	7590	05/16/2007		
MATTHEW D. RABDAU TEKTRONIX, INC. 14150 S.W. KARL BRAUN DRIVE P.O. BOX 500 (50-LAW) BEAVERTON, OR 97077-0001			EXAMINER MAIS, MARK A	
			ART UNIT	PAPER NUMBER
			2616	
			MAIL DATE	DELIVERY MODE
			05/16/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/655,807	Applicant(s) KOLBE ET AL.	
	Examiner Mark A. Mais	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-14 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 05 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>9/5/03</u> . | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d).

Information Disclosure Statement

2. The information disclosure statements (IDS) were filed on September 5, 2003. The submission is in compliance with the provisions of 37 C.F.R. 1.97. According, the examiner considered the IDS.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2616

4. Claims 1-14 are rejected under 35 U.S.C. 102(e) as being anticipated by Valle (USP 6,894,977).

5. With regard to claim 1, Valle discloses a method of monitoring a data transmission having a plurality of physical links between two network nodes [**Fig. 2, multiple physical links (PNNI) between both ATM Inverse Multiplexers (AIMs)**], corresponding ones of the physical links being combined to form a virtual link and data transmitted between the two network nodes being distributed to the individual physical links [**Fig. 4, virtual links 1 through N**], with data packets, containing affiliation information about the virtual link to which the corresponding ones of the physical links belong being transmitted on the physical links between the two network nodes during the data transmission [**Fig. 10, ICP packets with cell ID and (physical) link ID sent between both AIMs; col. 8, lines 55-61**], comprising the steps of:

a) tapping into the physical links by connecting a monitoring device to each of the physical links [**Fig. 9; inherent in order to make a link reconfiguration determination, col. 7, lines 25-35**];

b) receiving the data packets transmitted between the network nodes over the tapped physical links at the monitoring device [**Fig. 9, either one of the AIMs receives the ICPs (col. 8, lines 55-61)**];

c) extracting in the monitoring device the affiliation information from the received data packets [**from the ICP packets, cell ID and the link ID are extracted, col. 8, lines 55-61**];
and

Art Unit: 2616

d) analyzing the extracted affiliation information to determine the corresponding ones of the physical links that are combined to form the virtual link [**Fig. 11, different nodes use different links to transfer data between themselves (i.e., analysis leads to different groupings), col. 8, line 61 to col. 9, line 2**].

6. With regard to claim 2, Valle discloses the step of analyzing the extracted affiliation information in order to recognize the addition of another one of the physical links to the virtual link [**col. 7, line 31 (new link added)**].

7. With regard to claim 3, Valle discloses the step of analyzing the extracted affiliation information in order to recognize the removal of one of the corresponding ones of the physical links from the virtual link [**col. 7, lines 32-35 (link removed or link failure)**].

8. With regard to claim 4, Valle discloses that in a bi-directional data transmission between the two network nodes the virtual link comprises a first virtual link from a first to a second of the network nodes having the same affiliation information as a second virtual link from the second to the first network node [**Figs. 2 and 4**] and further comprising the step of:

connecting the physical links from the plurality of physical links on which data are transmitted from the first network node to the second network node to a first interface of the monitoring device [**Fig. 4, the AIMs of the nodes transport ATM cells to each other**]; and

connecting physical links from the plurality of physical links on which data are transmitted from the second network node to the first network node to a second interface of the

Art Unit: 2616

monitoring device **[Fig. 11, either (a) nodes A and B or (b) nodes A and C transport ATM cells to each other]**.

9. With regard to claim 5, Valle discloses that in a bi-directional data transmission between the two network nodes wherein the virtual link comprises a first virtual link from a first to a second of the network nodes having the same affiliation information as a second virtual link from the second to the first network node **[Figs. 2 and 4]** with the data being encoded in accordance with a transfer protocol that has several layers **[ATM layer]** and with the data transmitted on a single physical link of the virtual link not being encoded according to the highest layer **[physical layer OAM cell, col. 5, lines 5-13]**, and wherein the analyzing step comprises the steps of:

d1) assigning a selection of the physical links which transfer the same affiliation information to the first virtual link **[multiplexes multiple T1/E1 links, col. 4, lines 57-59]**;

d2) recognizing an information channel transmitted on the first virtual link and recognizing the information structure present there **[can be defined for UNI, PNNI, and BICI, col. 4, lines 66-67; Fig. 11, different nodes use different links to transfer data between themselves, col. 8, line 61 to col. 9, line 2]**;

d3) forming the information resulting as a consequence in a higher layer **[Fig. 11, different nodes use different links to transfer data between themselves, col. 8, line 61 to col. 9, line 2 (based on need)]**;

d4) analyzing the information of the higher protocol layer in order to examine whether the selection of physical links actually form the first virtual link **[comparing group status at start-up (col. 9, lines 22-23) and status change indications (col. 9, lines 13-14)]**;

d5) if the result of this examination in step d4) is positive, assigning the selection of physical links of step d1) as the first virtual link **[no change at start-up as long as the “necessary” number of links are working, col. 9, lines 32-40];**

d6) if the result of the examination in step d4) is negative, repeating steps d1) to d4) with different selections of physical links until the result of step d4) is that the physical links forming the first virtual link have been determined **[testing to see that there are actually enough “necessary” number of links, col. 9, lines 22-28].**

10. With regard to claim 6, Valle discloses the step of assigning the physical links which transmit the same affiliation information as the determined virtual link to the second virtual link which exists between the same network nodes but transmits in the opposite direction to the first virtual link **[Fig. 11, different nodes use different links to transfer data between themselves, col. 8, line 61 to col. 9, line 2; Fig. 15, same affiliation information, col. 9, lines 46-49].**

11. With regard to claim 7, Valle discloses the step of combining sequence information in the data packets which provides information on how the data transmitted on the individual physical links of the virtual link are assembled to form a continuous data stream; and wherein the analyzing steps comprise the steps of:

analyzing the sequence information within the monitor device **[each node (AIM) uses the ICP (AIM SN) to determine sequence numbers, col. 6, lines 43-45; col. 8, lines 55-61];**

Art Unit: 2616

compiling the data transmitted on the individual physical links into the continuous data stream, taking account of different propagation delays **[able to adjust up to 32 milliseconds for link delays in ATM streams, col. 4, lines 60-62];** and

making the continuous data stream available at an output **[delivery of ATM streams is inherent to inverse multiplexing (and demultiplexing)].**

12. With regard to claim 8, Valle discloses that the data packets are ATM cells **[delivery of ATM streams is inherent to inverse multiplexing (and demultiplexing)]**, the plurality of physical links are combined according to the IMA specification to form the virtual link **[Fig. 4, virtual links 1 through N; IMA protocol, col. 1, lines 61-64]**, the affiliation information is a suitable selection of information transmitted in ICP cells that are classified as B and C in the IMA specification **[physical layer OAM cell, col. 5, lines 5-13; status and control, col. 9, lines 13-59]**, and the sequence information is information transmitted in the ICP cells that is classified as A in the IMA specification **[Fig. 10, ICP packets with cell ID and (physical) link ID sent between both AIMs; col. 8, lines 55-61]**.

13. With regard to claim 9, Valle discloses that the transfer protocol is the AAL5 protocol and wherein in the analyzing step length information for transmitted AAL5 PDUs and/or a CRC32 check sum are analyzed **[inherent to ATM adaption of connectionless variable bit rate (VBR) data using AAL5]**.

Art Unit: 2616

14. With regard to claim 10, Valle discloses that the transfer protocol is the AAL2 protocol and wherein in the analyzing step the length of a payload of a CPS packet, which extends over more than one ATM cell is compared with an offset field of a subsequent cell and/or a sequence number is analyzed by transmitted AAL2 cells **[inherent to ATM adaption of connection-oriented variable bit rate (VBR) data using AAL2]**.

15. With regard to claim 11, Valle discloses that the data packets are ATM cells, the plurality of physical links are combined according to the IMA specification to form the virtual link, the affiliation information is a suitable selection of information transmitted in ICP cells that are classified as B and C in the IMA specification **[physical layer OAM cell, col. 5, lines 5-13; status and control, col. 9, lines 13-59]**, and sequence information is information transmitted in the ICP cells that is classified as A in the IMA specification **[Fig. 10, ICP packets with cell ID and (physical) link ID sent between both AIMs; col. 8, lines 55-61]**.

16. With regard to claim 12, Valle discloses that the transfer protocol is the AAL5 protocol and wherein in the analyzing step length information for transmitted AAL5 PDUs and/or a CRC32 check sum are analyzed **[inherent to ATM adaption of connectionless variable bit rate (VBR) data using AAL5]**.

17. With regard to claim 13, Valle discloses that the transfer protocol is the AAL2 protocol and wherein in the analyzing step the length of a payload of a CPS packet, which extends over more than one ATM cell is compared with an offset field of a subsequent cell and/or a sequence

Art Unit: 2616

number is analyzed by transmitted AAL2 cells [**inherent to ATM adaption of variable bit rate (VBR) data using AAL2**].

18. With regard to claim 14, Valle discloses a device for monitoring a data transmission over a plurality of physical links between two network nodes [**Fig. 2, multiple physical links (PNNI) between both ATM Inverse Multiplexers (AIMs)**], corresponding ones of the physical links being combined to form a virtual link, with data transmitted between the two network nodes being distributed to individual physical links [**Fig. 4, virtual links 1 through N**] and with data packets containing affiliation information about the virtual link to which the corresponding ones of the physical links belongs being transmitted over the physical links between the two network nodes during the data transmission [**Fig. 10, ICP packets with cell ID and (physical) link ID sent between both AIMs; col. 8, lines 55-61**] comprising:

a plurality of connections for tapping into the physical links [**Fig. 9; inherent in order to make a link reconfiguration determination, col. 7, lines 25-35**];

means for receiving the data packets transmitted on the plurality of physical links via the plurality of connections [**Fig. 9, either one of the AIMs receives the ICPs (col. 8, lines 55-61)**];

means for extracting the affiliation information from the data packets [**from the ICP packets, cell ID and the link ID are extracted, col. 8, lines 55-61**]; and

means for analyzing the extracted affiliation information to determine the corresponding ones of the physical links which are combined to form the virtual link [**Fig. 11, different nodes use different links to transfer data between themselves (i.e., analysis leads to different groupings), col. 8, line 61 to col. 9, line 2**].

Conclusion

19. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:


- (a) Counterman (USP 6,222,858), Method of inverse multiplexing for ATM.
- (b) Anesko et al. (USP 6,717,960), Method for reconstructing an aggregate ATM cell stream and related device.
- (c) Seren et al. (USP 7,065,104), Method and system for managing inverse multiplexing over ATM.
- (d) DeGrandpre et al. (USP 6,985,503), Inverse multiplexer.
- (e) DeGrandpre et al. (USP 6,678,275), Multitrunk ATM Termination Device.
- (f) Rahman et al. (USP 6,002,670), Optimization and recovery techniques in IMA networks.


20. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark A. Mais whose telephone number is 572-272-3138. The examiner can normally be reached on M-Th 5am-4pm.

Art Unit: 2616

21. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

22. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


May 2, 2007


SEEMA S. RAO 5114107
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600